

## รูปแบบการจัดเตรียมบทความ

### Example format e-Proceedings Sci Eng

สำหรับผู้ที่ไม่ประสงค์ตีพิมพ์เรื่องเต็ม (Full article) นำเสนอภาษาอังกฤษ / ผู้ประสงค์ตีพิมพ์เรื่องเต็ม (Full article) ใน **e-Proceedings ภาษาอังกฤษ** โดยได้นำเสนอบทความตามสาขาดังนี้

- สาขาพืช
- สาขาสัตว์
- สาขาสัตวแพทยศาสตร์
- สาขาประมง
- สาขาส่งเสริมการเกษตรและคหกรรมศาสตร์
- สาขาวิทยาศาสตร์
- สาขาวิศวกรรมศาสตร์และสถาปัตยกรรมศาสตร์
- สาขาอุตสาหกรรมเกษตร
- สาขาทรัพยากรธรรมชาติและสิ่งแวดล้อม

Cordia  
New 16 pt (bold) Shell structure investigation and utilization of bio-extract fermented from green mussel shell

1 Enter with Cordia New 14 pt

Ratikorn Smithmaitrie<sup>a,b</sup>, Pitcha-orn Sirichewakesron<sup>b</sup>, Kanyarat Suwannateep<sup>c,\*</sup> Cordia New, 14 pt (bold) and underline for Presenter

<sup>a</sup>Department of Marine Science, Faculty of Fisheries, Kasetsart University, Bangkok 10900, Thailand

<sup>b</sup>Kasetsart University Research and Development Institute, Kasetsart University, Bangkok 10900, Thailand

<sup>c</sup>Center for Advanced Studies for Agriculture and Food, Kasetsart University Institute for Advanced Studies, Kasetsart University, Bangkok 10900, Thailand

\*Corresponding author. E-mail address: rdikrsu@ku.ac.th (one e-mail only)

1 Enter with Cordia New 14 pt

**Abstract** (Level I heading: Cordia New 14, Bold)

..... (Not over than 200 words).....  
.....  
.....  
.....  
.....

**Keywords:** Bio-extract, Green mussel, Shell, Waste (allow up to 5 words, alphabetical order)

Cordia New  
14 pt

Cordia New  
14 pt

Margin 2.54 cm (one inch) on  
all the sides

Margin 2.54 cm (one inch) on  
all the sides

Margin 2.54 cm (one inch) on  
all the sides

**Introduction** (Level I heading: Cordia New 14, Bold)

Green mussels are an economic aquatic marine shellfish in Thailand due to their low price and their various nutritional components, such as protein, vitamins and minerals (Strunk and White, 1979; Morgan, 1999; Chantiratikul et al., 2016; Zhu et al., 2016). The mussels are processed into high value seafood products using different types of processing such as drying, pickling, boiling and freezing).....

Citation in text order by the year

Cordia New 14 pt

Citation in text: arrange entries in alphabetical order when the year publication of

1 Enter with Cordia New 14 pt

**Materials and Methods** (Level I heading: Cordia New 14, Bold)

1 Enter with Cordia New 14 pt

*Preparation of green mussel shell for non-aerated fermentation* (Level II heading: First letter of each word is uppercased, Italic, Align-left)

Samples of green mussel shell were collected from a community that processed green mussel in Samut Songkhram and Samut Songkhram province, Thailand. The shells were cleaned of tissue scraps and barnacles and then dried before grinding the shell in pieces approximately 2.5 cm in length (size of shell up to 1 inch).

The composition used in fermentation involved: ground green mussel shell, molasses, water and Microbial activator Super LDD 2. The proportions used were based on Loth (1999): green mussel shell: molasses: water: Microbial activator Super LDD 2 were 2: 1: 1: 1. The experiment involving green mussel shell non-aerated fermentation was divided into two treatments with three replications (Table 1): treatment 1, the composition proportions followed the formula of Shewale et al. (2016); and treatment 2, added 60% (by volume) of molasses to treatment 1. The proportions for non-aerated fermentation of green mussel shell are shown in Table 1.

Citation Table in text

1 Enter with Cordia New 14 pt

**Table 1** Selected phytosterol in rice bran stearine (RBS) from winterizing step, coconut oil (CO) and palm kernel oil (PKO)

Type of oil	$\beta$ -sitosterol (mg/100 g)	Campesterol (mg/100 g)	Stigmasterol (mg/100 g)	Total phytosterol (mg/100 g)
RBS	1508.50±6.36 <sup>a</sup>	341.75±9.61 <sup>a</sup>	2141.50±149.20 <sup>a</sup>	3991.50±146.37 <sup>a</sup>
CO	12.11±0.16 <sup>b</sup>	1.72±0.28 <sup>b</sup>	11.43±0.31 <sup>b</sup>	25.26±0.76 <sup>b</sup>
PKO	23.16±1.10 <sup>b</sup>	1.48±0.08 <sup>b</sup>	11.83±0.38 <sup>b</sup>	36.47±1.40 <sup>b</sup>

use a superscript letter

1.0 Line spacing

\*Means±SD in the same column followed by different superscripts are significantly different ( $p < 0.05$ )

1 enter with Cordia New 14 pt

use an italicized lower-case letter

*Investigation of composition of green mussel shell before and after non-aerated fermentation*

The amounts of calcium, chitin and protein in the green mussel shell were analyzed before and after 15 wk of fermentation. Quantification of calcium content in the green mussel shell followed Association of

Cordia New 14 pt, bold

Analytical Chemists (2000). A sample (1 g) of the shell was added to 69% HNO<sub>3</sub> and HClO<sub>4</sub> (ratio 1:2) and heated on a hot plate set up in a fume hood for digestion of the shell. Diluted shell digested solution was made up to 100 mL with deionization water. The wavelength for calcium analysis was 422.7 nm and the radiation of the calcium absorbed was compared with a calibration curve and the calcium content in the shell was shown as a calcium oxide (CaO) value (Palma et al., 2009; Chantiratikul et al., 2016).

Chitin and chitosan were determined according to Strunk et al. (1979) and Isnaeni (2007). A sample of crushed green mussel shell (100 g in 1 cm pieces) was mixed with 1M NaOH (ratio 1:10 weight per volume, w/v) and left on a magnetic stirrer at 100 °C for 4 h. The sample was filtered, washed with distilled water and adjusted to pH 7 before being dried in an oven at 50 °C for 24 h. Then, the green mussel shell residue was weighed. The shell residue was added to 0.68 M HCl (ratio 1:10 w/v), soaked for 6 h and then filtered with the reaction with the 0.68 M HCl repeated 5–6 times or until no gas bubbles were produced. After washing the sample with distilled water and adjusting to pH 7 (based on a pH paper test), the pigments were removed by soaking in 99.5% acetone and then in 100% methanol. The soaking was repeated until no color was evident in the solvent. Then, the green mussel shell residue was dried in a hot-air oven at 50 °C for 24 h, weighed and the amount of chitin was determined according to Equation 1:

insert symbol of °

$$\% \text{ chitosan} = \frac{\text{Weight of chitosan}}{\text{Weight of chitin}} \times 100$$

} 1 Enter with Cordia New 14 pt

} 1 Enter with Cordia New 14 pt

(1) → provide the equation number

The total protein content in the green mussel shell was determined using the Kjeldahl method (Association of Analytical Chemists, 2000) .....

} 1 enter with Cordia New 14 pt

*Statistical analyses*

Data were analyzed using one-way analysis of variance with significance tested at  $p < 0.05$  (R Core Team, 2014) . All statistical analyses were performed using the SPSS software (version 11, SPSS Inc.; Chicago, IL, USA)

**Results and Discussion**

} 1 enter with Cordia New 14 pt

} 1 enter with Cordia New 14 pt

*Composition of green mussel shell before and after non-aerated fermentation*

Before fermentation, the mean amounts (±SD) of calcium, chitin and protein were 53.97±6.56% CaO%, 26.28±2.12% and 3.58±0.14%, 4.67±0.22%, 5.67±0.02%, 3.45±1.32% and 2.98±2.45% respectively.

..... are shown in Fig. 1 and Fig. 2 → citation figures in text





Fig. 2 Physiological parameters change of two hot-pepper cultivars after transplanting in an open field: (A) plant height; (B) light transmission ratio; (C) fresh production including green and red fruits; (D) nitrate content in leaves of two hot pepper cultivars

### Conflict of Interest

The authors declare that there are no conflicts of interest.

} 1 Enter with Cordia New 14 pt

### Acknowledgements

.....  
 .....

} 1 Enter with Cordia New 14 pt

### References (list of reference must to order by alphabet)

- Association of Analytical Chemists. 2000. Official Methods of Analysis, 15<sup>th</sup> ed. Inc Suite 400. Virginia, VA, USA.
- Chantiratikul, A., Borisuth, L., Chinrasri, O., Saenthaweesuk, N., Chookhampaeng, S., Thosaikham, W., Sriart, N., Chantiratikul, P. 2016. Evaluation of the toxicity of selenium from hydroponically produced selenium-enriched kale sprout in laying hens. *J. Trace Ele. Med. Biol.* 35: 116–121.
- Isnaeni, N.F. 2007. Product formulation of pure instant potatoes [*Ipomoea batatas* (L.) Lam] as one of staple food diversification. M.Sc. thesis, Faculty of Agricultural Technology, Bogor Agricultural University. Bogor, Indonesia.
- Loth, G.R., Hemgesberg, L.B. 1999. How to prepare an electronic version of your article. In: Jones, B.S., Smith, R.Z. (Eds.). *Introduction to the Electronic Age*. E- Publishing Inc. New York, NY, USA. pp. 281–304.
- Morgan, L. 1999. *Hydroponic Lettuce Production: A comprehensive, Practical and Scientific Guide to Commercial Hydroponic Lettuce Production*. Casper publication. Australia.
- Palma, C.E., Mamon, S.J.B., Rubin, K.N.D. 2009. Nutritional composition of three estuarine bivalve mussels, *Perna viridis*, *Donax cuneatus* and *Meretrix meretrix*. *Int. J. Food Sci. Nutr.* 60: 458–463. doi.org/10.1080/09637480701830412
- R Core Team. 2014. R: A language and environment for statistical computing. R Foundation for Statistical Computing. Vienna, Austria. <http://www.R-project.org/>, 31 December 2021.
- Shewale, C., Peng, D., Yang, Y. 2010. Anti-oxidative and anti-aging activities of collagen hydrolysate. In: *Proceeding of 3<sup>rd</sup> International Conference on Biomedical Engineering and Informatics*. Yantai, China, pp. 1981–1985.
- Strunk, Jr., W., White, E.B. 1979. *The Elements of Style*, 3<sup>rd</sup> ed. Macmillan. New York, NY, USA.
- Zhu, F., Chen, J., Xiao, X., et al. 2016. Salicylic acid treatment reduces the rot of postharvest citrus fruit by inducing the accumulation of H<sub>2</sub>O<sub>2</sub>, primary metabolites and lipophilic polymethoxylated flavones. *Food Chemistry* 207: 68–74. doi.org/10.1016/j.foodchem.2016.03.077

**Note to author:**

1. Paper size A4 (8.27"×11.69") vertical
2. Full text must not exceed 8 pages (including first page, figures, tables, and references)
3. Set 1.0 line spacing for all components of the manuscript
4. Use Cordia New font
5. Subdivision sections should divide your manuscript into clearly defined sections. Any subsection may be given a brief heading. Each heading should appear on its own separate line. Level I headings are bold; Level II and III headings are italic
6. Each reference cited in the text must appear in the reference list, and each entry in the reference list must be cited in the text;
7. In-text citation and references are listed in alphabetical order according to the last name and not numbered

**Form of number and symbols****1. Numbers and symbols**

- Système International (SI) units are used
- Temperatures are given in degrees Celsius, 33 °C, 25–30 °C
- Liter always has a capital letter: mL/s, µL,
- Superscripted ordinal qualifiers after number: 1<sup>st</sup>, 2<sup>nd</sup>, 3<sup>rd</sup>, 4<sup>th</sup>
- Use “en dash (–)” for ranges of number such as: 1991–1996, 25–30 °C,
- Use “h” for hour unit (no full stop): 2–3 h
- Use repetitive/serial units: 25%, 60% and 74% (no space between percent symbol and number)
- Use “insert symbol” function to insert the symbol as:  $2.4 \times 610^{-2}$ , 60 °C, 56.09±0.02

**2. Statistics**

- For *p* value, use an italicized lowercase letter, with a space on either side: *p* < 0.05;  
*p* = 0.562
- For sample size, use an italicized lowercase, with space on either side: *n* = 36
- Student's *t* test not Student's t-test and no italics and similarly for *F* test
- *SD* value no italic
- No space between mean±SD value; 12.11±0.16

## Form of in-text citation and References

### 1. In-text citations

Writing format of the in-text citation as shown in the table below

Type of citation	Citation at the beginning of a sentence	Citation at the end of a sentence
One author	Walker (2007)	(Walker, 2007)
Two authors	Walker and Smith (2004)	(Walker and Smith, 2004)
Three authors or more	Walker et al. (2004)	(Walker et al., 2004)

Adapted from “The Chicago Manual of Style, 17<sup>th</sup> ed.” by The University of Chicago. 2017.

### 2. References

- Authors' name, use this form: [Author, A.A.](#), [Author, B.B.](#), [Author, C.C.](#) year. List author's surname and followed by abbreviation of first name (include middle name).

- Use “et al.” for author more than 10 person after the 3<sup>rd</sup> author name, for example  
Zhu, F., Chen, J., Xiao, X., [et al.](#) 2016.

- Use En Dash (–) for number ranging such as “14: 153–175, pp. 54–62”

- Title name: for book; use capitalize for first letter each word, for article; use capitalize for first letter of first word except special name

- About location: The name of United States and territories are abbreviated in the reference list. To cite locations outside the United States, spell out the city and the country names. For example,

- [New York, NY, USA](#)
- [Oxford, UK](#)
- [Gaithersburg, MD, USA](#)
- [London, UK](#)
- [Bangkok, Thailand](#)
- [Vienna, Austria](#)

- If the original version is not English, provide original language in square bracket after the reference, for example [\[in Thai\]](#), [\[in Indonesian\]](#), [\[in German\]](#) (see 6. References another language)



## Example of References

### 1 Book:

#### a. Book

Form:

Author, A.A., Author, B.B., Author, C.C. Year. Title of book. Publisher Name. Country.

Example:

Morgan, L. 1999. Hydroponic Lettuce Production: A comprehensive, Practical and Scientific Guide to Commercial Hydroponic Lettuce Production. Casper publication. Australia.

Wyn, J.R.G., Brady, C.G., Speirs, J. 1981. Recent Advances in the Biochemistry of Cereals. Academic Press. London, UK.

#### b. Book with edition

Form:

Author, A.A., Author, B.B., Author, C.C. Year. Title of book, ordinal number ed. Publisher Name. Country.

Example:

Association of Official Analytical Chemists. 2000. Official Methods of Analysis, 17<sup>th</sup> ed. The Association of Official Analytical Chemists. Gaithersburg, MD, USA.

Strunk, Jr., W., White, E.B. 1979. The Elements of Style, 3<sup>rd</sup> ed. Macmillan. New York, NY, USA.

#### c. Book chapter in book with editors

Form:

Author, A.A., Author, B.B., Author, C.C. Year. Title of chapter. In: Author, A.A., Author, B.B., Author, C.C. (Eds.). Title of book. Publisher Name. Country, pp. xx–xx.

Example:

Loth, G.R., Hemgesberg, L.B. 1999. How to prepare an electronic version of your article. In: Jones, B.S., Smith, R.Z. (Eds.). Introduction to the Electronic Age. E- Publishing Inc. New York, NY, USA, pp. 281–304.

## 2. Journal publication

### a. Journal article with DOI link

Form:

Author, A.A., Author, B.B., Author, C.C. Year. Article name. Abbreviations name of journal.

Volume: xx–xx. doi.org/xxxx or doi: 10.xxxx

Example:

Costa, B.H.G., de Resende, M.L.V., Monteiro, A.C.A., Ribeiro Júnior, P.M., Botelho, D.M.D.S.,  
Silva, B.M.D. 2018. Potassium phosphites in the protection of common bean plants  
against anthracnose and biochemical defence responses. J. Phytopathol. 166: 95–102.  
doi.org/10.1111/jph.12665

Graf, S., Egert, S., Heer, M. 2011. Effects of whey protein supplements on metabolism: Evidence  
from human intervention studies. Curr. Opin. Clin. Nutr. Metab. Care. 14: 569–580. doi:  
10.1097/MCO.0b013e32834b89da

### b. Journal article without DOI link

Form:

Author, A.A., Author, B.B., Author, C.C. Year. Article name. Abbreviations name of journal.

Volume: xx–xx.

Example:

Blanchard, M.G., Runkle, E.S. 2006. Temperature during the day, but not during the night,  
controls flowering of *Phalaenopsis* orchids. J. Exp. Bot. 57: 4043–4049.

Chantiratikul, A., Borisuth, L., Chinrasri, O., Saenthaweek, N., Chookhampaeng, S.,  
Thosaikham, W., Sriart, N., Chantiratikul, P. 2016. Evaluation of the toxicity of selenium  
from hydroponically produced selenium-enriched kale sprout in laying hens. J. Trace  
Ele. Med. Biol. 35: 116–121.

**\*\*The list of abbreviations used for journal titles:**

<https://guides.lib.berkeley.edu/bioscience-journal-abbreviations>

<https://www.library.caltech.edu/journal-title-abbreviations>

[https://images.webofknowledge.com/WOK48B5/help/WOS/A\\_abrvjt.html](https://images.webofknowledge.com/WOK48B5/help/WOS/A_abrvjt.html)

<https://www.ncbi.nlm.nih.gov/nlmcatalog/journals/>

### c. Journal article that has not a abbreviation name

Form:

Author, A.A., Author, B.B., Author, C.C. Year. Article name. Name of journal Volume: xx–xx.

Example:

Arakawa, T., Timasheff, S.N. 1982. Stabilization of protein structure by sugars. *Biochemistry* 21: 6536–6544. doi.org/10.1021/bi00268a033

Myers, N., Mittelmeier, R.A., Mittelmeier, C.G., da Fonseca, G.A.B. Kent, J. 2000. Biodiversity hotspots for conservation priorities. *Nature* 403: 853–858. doi.org/10.1038/35002501

### 3. Thesis

Form:

Author, A.A., Author, B.B., Author, C.C. Year. Title. Ph.D. thesis/M.Sc. thesis, Faculty, University. City, Country.

Example:

Isnaeni, N.F. 2007. Product formulation of pure instant potatoes (*Ipomoea batatas* (L.) Lam) as one of staple food diversification. M.Sc. thesis, Faculty of Agricultural Technology, Bogor Agricultural University. Bogor, Indonesia.

Pinitpaitoon, S. 2012. Enhancing productivity of red clay soil for maize cropping by organic fertilizer application in combination with mineral fertilizers. Ph.D. thesis, Graduate school, Kasetsart University. Bangkok, Thailand.

### 4. Proceedings/Research report

Form:

Author, A.A., Author, B.B., Author, C.C. Year. Title. In: Name of proceedings. City, Country, pp. xx–xx.

Example:

Bussabong, N., Songkumarn, P., Tongsri, V. 2018. Disease characteristics and infection of *Curvularia* sp., the causal agent of Hom Thong banana leaf spot disease in Nong Khae district, Saraburi province. In: Proceedings of 16<sup>th</sup> National Horticulture Congress. Phitsanulok, Thailand, pp. 637–644. [in Thai]

Vergara, B.S., Pateña, G., Lopez, F.S.S. 1982. Rapid generation advance of rice at the International Rice Research Institute, IRRI Research Paper Series No. 84. International Rice Research Institute. Los Baños, Philippines.

## 5. Website

Form:

Author, A.A., Author, B.B., Author, C.C. Year. Title. City, Country. <http://xxx>. Date of searching.

Example:

Nabhitabhata, J., Chan-ard, T. 2005. Thailand Red Data: Mammal, Reptiles and Amphibians. Office of Natural Resources and Environment Policy and Planning. Thailand.  
[https://www.pangolinsg.org/wpcontent/uploads/sites/4/2018/06/Nabhitabhata\\_Chan\\_ard\\_2005\\_Thailand-Red-Data-Book\\_Mammals-et-al.pdf](https://www.pangolinsg.org/wpcontent/uploads/sites/4/2018/06/Nabhitabhata_Chan_ard_2005_Thailand-Red-Data-Book_Mammals-et-al.pdf), 7 September 2021.

The Thai Tapioca Development Institute. 2019. Harvested Area and Production, Past Years. [https://tapiocathai.org/English/L1\\_e.html](https://tapiocathai.org/English/L1_e.html), 5 September 2021.

## 6. References another language

If the references were translated to English, the author must be providing the name original language in bracket at the end of text see an example below.

Example:

Bleeker, P. 1850. Contribution to the knowledge of the ichthyological fauna of Borneo, with description of 16 new species of freshwater fishes. *Nat. Tijdschr. Ned. Ind.* 1: 1–16.  
[\[in Dutch\]](#)

Farahita, Y., Kurniawati, J.N. 2012. Nilem caviar chemical characteristics immersed in a mixture of acetic acid and salt solution during cold storage temperature (5–10 °C). *JPK Universitas Padjadjaran* 3: 165–170. [\[in Indonesian\]](#)

Laichanthuek, P., Sukmasuang, R., Duengkae, P. 2017. Population and habitat use of gaur (*Bos gaurus*) around Kha Phaeng Ma Non-hunting Area, Nakhon Ratchasima Province. *Journal of Wildlife in Thailand* 24: 83–95. [\[in Thai\]](#)